

AMENDMENTS TO THE CLAIMS, COMPLETE LISTING OF CLAIMS
IN ASCENDING ORDER WITH STATUS INDICATOR

Please amend the following claims as indicated.

1. (Currently Amended) A two-pack type curable resin composition comprising:
a first liquid containing an epoxy resin and a silyl group-denatured urethane
prepolymer having an isocyanate group and an alkoxysilyl group in one molecule thereof and a
weight average molecular weight of 500 or more; and
a second liquid containing a curing agent,
wherein the isocyanate ~~group of~~ compounds from which the silyl group-denatured
urethane prepolymer ~~or the polyisocyanate compound bonds~~ is derived contain at least one
isocyanate group bonded to a an aliphatic secondary or tertiary carbon atom ~~except aromatic~~
~~carbon atom~~.
2. (Original) The curable resin composition according to claim 1, wherein the silyl
group-denatured urethane prepolymer comprises a reaction product obtained by reacting
a polyisocyanate compound having two or more isocyanate groups in one molecule
thereof; and
a silane compound having a primary or secondary amino group and an alkoxysilyl
group in one molecule thereof.
3. (Canceled).
4. (Canceled).
5. (Canceled).
6. (Canceled).
7. (Canceled).

8. (Canceled).

9. (Canceled).

10. (Canceled).

11. (Canceled).

12. (Currently Amended)-~~The~~ A two-pack type curable resin composition according to claim 8, comprising:

a first liquid containing a silyl group-denatured urethane prepolymer having an isocyanate group and an alkoxysilyl group in one molecule thereof and a weight average molecular weight of 500 or more; and

~~wherein the~~ a second liquid further contains as the curing agent containing a polyamine compound and an alkoxysilyl group-condensation catalyst as a curing agent,

wherein the isocyanate compounds from which the silyl group-denatured urethane prepolymer is derived contain at least one isocyanate group bonded to an aliphatic secondary or tertiary carbon atom.

13. (Currently Amended)-~~The~~ A two-pack type curable resin composition according to claim 9, comprising:

a first liquid containing a silyl group-denatured urethane prepolymer having an isocyanate group and an alkoxysilyl group in one molecule thereof and a weight average molecular weight of 500 or more; and

~~wherein the~~ a second liquid further contains as the curing agent containing a polyamine compound and an alkoxysilyl group-condensation catalyst as a curing agent,

wherein the isocyanate compounds from which the silyl group-denatured urethane prepolymer is derived contain at least one isocyanate group bonded to an aliphatic secondary or tertiary carbon atom,

wherein the silyl group-denatured urethane prepolymer comprises a reaction product obtained by reacting a polyisocyanate compound having two or more isocyanate groups in one

molecule thereof, and a silane compound having a primary or secondary amino group and an alkoxysilyl group in one molecule thereof.

14. (Canceled).

15. (Canceled).

16. (Canceled).

17. (Canceled).